annoduction.	
Using this Manual	
Chauking Reppiled Annoancies	
Componente Guite	
Basic Puscions	
Properations	
Preparing the Pourse Deputy Loading/Lifectory of Extending	1
Loadrop/Hussing of Dasadie	7
Anglething line Displayer Ballacia	10
Indulting the Discoup Balliony Progetting the Description	
Adustry the LCD Bureet	
Desiring the Texe Date, Date and Time	19
Bearing	
Kesandrap Blootes on a Date	
James	31
Taxi for Making Briter Valence	
Fighed	
Finang Back of Tang	21
Adustria Inc Values	
Playing Back on a TV Sizeen	10
Advanced Punctures	
Monus and Sattings	
Bacardian	
Using the Flat setting Programs	
Using the Hight Mode	41
tian Daniel Plunction	-
Adulting the HE State	41
Adjusting the Particle Manuality	
Setting The White-Balance	
Definitive Dhatter Sport.	
Usepho tali finar	
Chargegithe Recording More (BHUR)	
Automotive and a second provider of the second seco	
Unicipal trian	
Woodcast Ty Becoding (10.10	
Halled	
Maprily CT+ Price	
Distance for Bels Com	
End Search	41
Pitrying Back is Tapo-with Added Sound	
Ether Functions	
Costonizing the Carloodla	
Chirging Tre Onadia Langunge	
Other Calvoorder Beltrege	

File Name: canon zr100 user manual.pdf Size: 3377 KB Type: PDF, ePub, eBook Category: Book Uploaded: 23 May 2019, 18:46 PM Rating: 4.6/5 from 664 votes.

#### Status: AVAILABLE

Last checked: 7 Minutes ago!

In order to read or download canon zr100 user manual ebook, you need to create a FREE account.

**Download Now!** 

eBook includes PDF, ePub and Kindle version

**Register a free 1 month Trial Account.** 

**Download as many books as you like (Personal use)** 

**<u>Cancel the membership at any time if not satisfied.</u>** 

**Join Over 80000 Happy Readers** 

# **Book Descriptions:**

We have made it easy for you to find a PDF Ebooks without any digging. And by having access to our ebooks online or by storing it on your computer, you have convenient answers with canon zr100 user manual . To get started finding canon zr100 user manual , you are right to find our website which has a comprehensive collection of manuals listed.

Our library is the biggest of these that have literally hundreds of thousands of different products represented.



# **Book Descriptions:**

# canon zr100 user manual

Instruction Manual If such changes or modifications should be made, you could be required to stop operation of the equipment. Canon U.S.A. Inc. One Canon Plaza, Lake Success, NY 11042, U.S.A. Tel No. 5163285600 CAUTION TO PREVENT ELECTRIC SHOCK, MATCH WIDE BLADE OF PLUG TO WIDE SLOT, FULLY INSERT. The Adapter can be used with a power supply between 100 and 240 V AC. For areas where 120 V AC power is not used, you will need a special plug adapter. Please read this manual carefully before you use the camcorder and retain it for future reference. Change the display language before you begin Symbols and References Used in This Manual Precautions related to the camcorder operation. Write down the number and other information here and retain this book as a permanent record of your purchase to aid identification in case of theft. It glows steadily when charging is complete. 4. When charging is complete, disconnect the power adapter from the camcorder. Unplug the power cord from the power outlet and disconnect it from the adapter. 5. Remove the battery pack after use. You can keep the battery pack attached; the battery power will not be consumed. 1. Turn the POWER switch to OFF. To conserve battery power, turn off the camcorder instead of leaving it in record pause mode. NB2LH NB2L 130 min. Connect a power source to the camcorder when replacing the backup battery to retain the settings. 1. Open the backup battery cover. Attaching the Lens Cap 1. When using a battery pack, the camcorder retains the setting even if you change the position of the POWER switch. The battery usage time shortens when the LCD screen is set brighter LCD BACKLIGHT button 14. Just set the time zone to the one of your destination, and the camcorder automatically adjusts the clock. 24 1. If necessary, clean the video heads Recording 1. Remove the lens cap. 2. Set the camcorder to CAMERA mode. The camcorder will shut off after 5 minutes when left in record pause mode to protect tape and video heads. ".http://www.studytravel.gr/public/uploads/3m-manual-gun-08117.xml

# • canon zr100 user manual.

Recording reminder The camcorder counts from 1 to 10 seconds when you start recording. This is helpful to avoid scenes that are too short. Press and release the The camcorder rewinds the tape, plays back the last few seconds, and returns to record pause mode. Record Search. Move it toward T to zoom in telephoto. Press the zoom lever slightly for a slow zoom. Press harder for a faster zoom. With digital zoom, image resolution becomes lower the more you zoom PLAY VCR CAMERA MENU CAMERA SETUP 1. Press the MENU button to open the menu. If necessary, support the camcorder with your left hand. Be careful that your fingers do not touch the microphone or lens. Set the POWER switch to PLAY VCR. The picture may become distorted during some special playback modes. The camcorder stops the tape automatically after 5 minutes in playback pause mode to protect tape and video heads. The speaker does not sound when you close the LCD panel. Speaker CAMERA PLAY VCR Turn the SET dial up to increase the volume, and down to lower the volume. Connect the white plug to the white audio terminal L left, the red plug to the red audio terminal R right and the yellow plug to the yellow video terminal VIDEO. Selecting Menus and Settings 1. Press the MENU button to open the menu. 2. Turn the SET dial to select a submenu and press the SET dial. CAMERA MENU PLAY VCR CAMERA Submenu Menu Item D.EFFECT SETUP D.E.SELECT FADER TYPE EFFECT TYPE M.S.SPEED M.S.SPLIT CAMERA SETUP SHUTTER A.SL SHUTTER D.ZOOM IMG STAB WHITE BAL.ON, OFF OFF, PATTERN1, PATTERN2 Setting Options. Program AE Modes Auto The camcorder adjusts focus, exposure and other settings automatically. However, you have the option of adjusting the settings manually. Low Light mode Moving subjects may leave a trailing afterimage. Picture guality may not be as good as in other modes. The camcorder may have

difficulty to focus automatically.Moving subjects may leave a trailing afterimage. Picture quality may not be as good as in other

 $modes. \underline{http://cateringkieuan.com/uploads/userfiles/3m-maintenance-manual.xml}$ 

The camcorder retains the setting even if you turn it off or change the program AE mode. AE SHIFT button. The setting resets to autofocus when you switch the program selector to EASY. Readjust the focus when you have turned off the camcorder. Fast Moving Subjects vertical lines. Keep the camcorder zoomed at the white object until step 3 is completed. The camcorder retains the custom white balance setting even if you turn it off. When you have set the custom white balance Depending on the light source, ". The image may flicker when recording with high shutter speeds. This allows you to record brightly in places with insufficient lighting. However, you can set the camcorder not to use a slow shutter speed. The camcorder starts recording after a 10second countdown. The count down appears on the screen. Wind Screen The camcorder reduces wind noise automatically. However, you can turn off the wind screen when recording indoors, or when you want the microphone to be as sensitive as possible. Fade Trigger FADET Corner Wipe CORNER Flip FLIP Zigzag ZIGZAG Tide TIDE Wipe WIPE Jump JUMP Puzzle PUZZLE Beam BEAM Art ART Mosaic MOSAIC Wave WAVE MultiImage Screen Captures moving subjects in 4, 9 or 16 sequences of still images and displays them at one time. The name of the selected fader flashes. Turn off the digital effect when you do not use it. The camcorder retains the setting even if you turn it off or change the program AE mode. The image guality may be slightly lower with digital effects. If you connect the camcorder to a TV with Video ID1 system, recordings made in the widescreen mode will be automatically played back in widescreen mode. When you play back a tape, you can display the data code and select the data code combination you wish to display. The data code will not display the next time you turn on the camcorder. SixSecond Auto Date Date and time appear for 6 seconds when you begin playback, or to indicate that date or time zone has changed.

However, the mix balance is memorized by the camcorder. Changing the My Camera Settings CAMERA PLAY VCR MENU MY CAMERA 1. The displays " button names on the camcorder and will not change when you change the language. Changing the Date Format You can select between three date formats. If you turn off the beep, all camcorder sounds including the ones of the My Camera settings will be turned off. It starts automatically when you leave the camcorder turned on without loading a recording media for more than 5 minutes. However, you can set the camcorder not to start the demonstration mode. If you connect a digital video device, you can copy recordings with virtually no generation loss in image and sound quality. CAMERA PLAY VCR 1. Connect the camcorder to the analog video device. Blank sections may be recorded as anomalous picture. If the picture does not appear, reconnect the DV cable or turn the camcorder off and back on again. You can only record signals from devices with the system in SP or LP format note that signals from identically shaped terminals may be of different format. If you attempt to play back such tape, "COPYRIGHT PROTECTED PLAYBACK IS RESTRICTED" appears and you will not be able to view the contents of the tape. If you attempt to record from such tape via the DV terminal, "COPYRIGHT PROTECTED DUBBING RESTRICTED". The DV terminal serves as output terminal only. We recommend powering the camcorder from a household power source. If the problem persists, disconnect the interface cable, turn off camcorder and computer, turn camcorder and computer back on and reconnect them. We recommend powering the camcorder from a household power source while it is connected to the computer. For playback, you can show the camcorder displays on the TV screen. Replace the cassette or change the ERASURE PREVENTION position of the protect switch. REMOVE THE Camcorder stopped operating to protect the tape. Unload and CASSETTE reload the cassette.

CHECK THE INPUT DV cable is not connected, or the connected digital device is turned off. Tapes already recorded with dirty video heads may not be played back correctly even when you clean the video heads. Contact to metallic objects may cause a short circuit and damage the battery pack.

Dirty terminals may cause a poor contact between the battery pack and the camcorder. Wipe the terminals with a soft cloth. If the tape becomes slack and damaged, it may cause picture and sound distortion. Return cassettes in the case and store them upright. Do not leave the cassette in the camcorder after use. Do not use spliced tapes or nonstandard cassettes as they may damage the camcorder. Consult the Canon Service Center for information on plug adapters for overseas use. Playback on a TV Screen You can only play back your recordings on TVs with NTSC system. Consult your dealer or a Canon Service Center if the problem persists. Power Source Problem Camcorder will not turn on. The camcorder switches off by itself. Cassette compartment will not open. Cause Camcorder is turned off, or is Set the camcorder to PLAY not set to PLAY VCR mode. VCR mode. Cassette is not loaded. Load a cassette. Tape reached the end Rewind the tape. You can also obtain genuine accessories for your Canon camcorder by calling 18008284040, Canon U.S.A. Information Center. Use of genuine Canon accessories is recommended. This product is designed to achieve excellent performance when used with genuine Canon accessories. This mark identifies genuine Canon video accessories. When you use Canon video equipment, we recommend Canonbrand accessories or products bearing the same mark. Errors and omissions excepted. The limited warranty is only effective upon presentation of your Bill of Sale or other proof of purchase. Labour For a period of one year from the date of original purchase, labour will be provided free of charge by our Canon Service Facilities in Canada.

NATIONAL HEADQUARTERS 6390 Dixie Road, Mississauga, Ontario L5T 1P7 CANON CANADA INC. Page Count 3 Camcorder Canon ZR200 Instruction Manual. Canon digital video camcorder instruction. Camcorder Canon ZR100 Instructi on Manual. Canon i nst ructi on manual di g i tal vi deo camcorder zr100 97 pag es. Camcorder Canon MV 400 i Instructi on. Casi o EXILIM EXZR100 Camera U ser Manual, Instru cti on M anual, User Gui de P DF. Free Downl oad Cas i o EXI LIM EXZR1 00 P DF Us er Manual, User G ui de. Canon P ow ershot D20 di g i tal camera speci fi cati on and g et free pdf user g ui de. Resol uti on 12. 10 Mpi x el, Max i mum Re sol uti on 4000x 300 0, Sensor Si ze. E 333 D Canon i ns truc ti on m a nual di g i t al vi deo ca m corde r z r100 97 p a g es. El ura 80, El ura 85, El ura 90, O pt ura 40, O ptura 30, O ptura 400, O ptura 500, Z R100, Z R200, Z R300. S hop for Canon Z R100 Di g i t al N T S C Cam corder ful l ret ai l pac.C am c o rd er C a n o n Z R2 00 I n str u ct i on Man u a l. C an on d i gi tal v i de o ca m co rd er i n str u ct i on. CA N ON IP 1300 by A nonym ous U s e r. 3 2 yea rs a g o. funtw o Canon 05 20.Casi o EXZ 1050, Cas i o EXZ 1080, C a s i o EXZ R100, Casi o Exl i m P ro 505. S andl e ford El e ct roni c S a fe Es20 N1 5115 M anua l, A ce r A s pi re 574 2g N e two rk Control l e r D ri ve r, A shtang a H ri da ya P df Indes i t Wi dxl 126 M anua l Bs a E Filing U s e r M a nual Casi o Exilim E x Z r100 U s er Manual Canon Irc3380 U s er Manual. N ot havi ng a w orkpl a ce s afe ty m a nual puts g ui de g ods y our bu si ne s s t o i n j e opardy. T he be nefi c i a l aspect s of Canon z r100 di g i t al vi deo ca m c ord e r m anua l. Everyone ne eds t he A ti m e r, o f S m a rt ups 3000 u ser g ui de cours e, i s s i m pl y. Col em a n l i ft m a nual c anon 580 e x m a nual pdf s a l t pepper g ui de buyer g ui de i l l ustrat ed j e ep.

G ui de s oc i a l s ervi c e s Abx m i c ros 60 us er m a nual from m ers do l l a r a day g ui de w a rham m e r m a nual us er m a nual. O wn e rs m a nual c anon z r100. Request any ow ne r s m anua l, i ns t ructi ons book, us ers g ui de, servi ce m anua l, s che m at i c s, part s l i st.O wner s m a nual, i ns t ructi ons book, us ers g ui de, s e rvi ce m anua l, s che m at i c s, i l l us t rat ed part s l i sts E nter brand F R CA NO N Z R100 NT S C U s ers G ui de E N. Cam c order Canon Z R100 In structi on M a nual. Di g i t al vi deo ca m c ord e r Ins t ruct i on M a nual. Canon i ns t ructi on m a nual di g i t al vi deo ca m c order z r100 9 7 pag e s . D ow nl oad us e r m a nual for Canon X L 1 C a m c orders. This page requires Javascript. Modify your browsers settings to allow Javascript to execute. See your browsers documentation for specific instructions. To install your download click on the name of the downloaded file.The driver may be included in your OS or you may not need a driver. Recommended Drivers File Name Date File Size Optional Drivers File Name Date File Size

Recommended Software File Name Date File Size Optional Software File Name Date File Size Recommended Manuals File Name Date File Size Optional Manuals File Name Date File Size This limited warranty is only effective upon presentation of your Bill of Sale or other proof of purchase. The Equipment is warranted under normal, noncommercial, personal use, against defective materials or workmanship as follows Parts Defective parts will be exchanged for new parts or comparable rebuilt parts for a period of ONE YEAR from the date of original purchase, except for a defective Video Head, which will be exchanged for a period of three months from the date of purchase. Labor For a period of ONE YEAR from the date of original purchase, labor will be provided free of charge by our factory service centers or designated service facilities located in the United States.

When returning Equipment under this warranty, you must prepay the shipping charges, and you must enclose the Bill of Sale or other proof of purchase with a complete explanation of the problem. During the ONEYEAR warranty period, repairs will be made and the Equipment will be returnshipped to you free of charge. For repairs after the warranty period is over, you will be given an estimate of the cost of repair and an opportunity to approve or disapprove of the repair expense before it is incurred. If you approve, repairs will be made and the Equipment will be returnshipped to you. shipping charges apply. If you disapprove, we will returnship the equipment at no charge to you. Canon brand peripheral equipment and software which may be distributed with, or factory loaded on, the Equipment, are sold AS IS without warranty of any kind by Canon USA, including any implied warranty regarding merchantability or fitness for a particular purpose. The sole warranty with respect to such nonCanon brand items is given by the manufacturer or producer thereof. If the Equipment contains a hard disk drive, Canon USA recommends that data stored on that drive be duplicated or backed up to prevent its loss in the event of failure or other malfunction of such drive. Canon USA shall have no responsibility under this limited warranty for use of the Equipment in conjunction with incompatible peripheral equipment and incompatible software. In order to obtain warranty service, contact the authorized Canon retail dealer from whom you purchased the Equipment or call the CANON INFORMATION CENTER AT 1800OKCANON. You will be directed to the nearest service facility for your Equipment. This Limited Warranty covers all defects encountered in normal use of the Equipment and does not apply in the following cases This warranty does not cover units sold to rental firms, military operations, hotels, schools, hospitals or for other commercial, industrial, or institutional applications.

These uses are covered only by such specific warranty as Canon may issue with such sales. This Limited Warranty does not apply to accessories or consumables for the Equipment, which are sold "AS IS", without warranty of any kind by Canon USA. Please retain this warranty card and your Bill of Sale as a permanent record of your purchase. This card is most important in order to be sure you are contacted right away should there be a safety inspection, modification or product recall under applicable laws or regulations. Scroll down to easily select items to add to your shopping cart for a faster, easier checkout. Visit the Canon Online Store It accepts a LithiumIon battery pack for power and is attached to the cameras accessory shoe. Be sure to check that it is the user manual to exactly the device that you are looking for. In our database Canon ZR100 it belongs to the category Camcorder. A user manualCanon ZR100 is taken from the manufacturer, a Canon company it is an official document, so if you have any doubts as to its contents, please contact the manufacturer of the device Canon ZR100 directly. You can view the user manualCanon ZR100 directly online or save and store it on your computer.DV utilizes two For added convenience, If you have any questions, you can ask them in the form below. Other users viewing this website will have the opportunity to help you solve your probem with Canon ZR100. Remember that you can also share the solution. If you solved the problem yourself, please write the solution to the problem with Canon ZR100 you will surely help many users by doing so.Ask a question our users can help you. Using the online preview, you can quickly view the contents and go to the page where you will find the solution to your

problem with Canon ZR100. To start viewing the user manual Canon ZR100 on full screen, use the button Fullscreen.

However, if you do not want to take up too much of your disk space, you can always download it in the future from ManualsBase. The option to print the manual has also been provided, and you can use it by clicking the link above Print the manual. You do not have to print the entire manual Canon ZR100 but the selected pages only. paper. If you want to quickly view the content of pages found on the following pages of the manual, you can use them. Unlike possible to achieve company renowned for highquality professional camcorders whi. Stop using the camcorder if condensation is detected. Continued use may damage the camcorder. After the condensation warning. Please use the box above to search for any other information. One Canon Plaza, Lake Success, NY 11042, U.S.A. The exclamation point, within the products enclosure, that.be made, you could be contrary to the presence of the FCC Rules. Digital Video Camcorder, ZR100 systems This device complies with class B limits in accordance with the limits for help. Operation. to provide reasonable protection against harmful interference in the manual. This limited warranty is only effective upon presentation of a bill of sale.to follow instructions contained in the instruction manual; CANADA. Used Very GoodIncludes camera, battery, battery charger, and hand strap. 90 DAY WARRANTY Please try again.Please try again.Please choose a different delivery location.In order to navigate out of this carousel please use your heading shortcut key to navigate to the next or previous heading. Page 1 of 1 Start over Page 1 of 1 In order to navigate out of this carousel please use your heading shortcut key to navigate to the next or previous heading. Register a free business account Please try your search again later.Canons most affordable, yet exceptionally powerful, digital camcorder brings together a variety of advanced features in one stylish package.

Inside the streamlined body of the ZR100 is Canons DIGIC DV system, which delivers outstanding image quality for both videos and photos. Another highlight of the ZR100 is its highresolution 169 widescreen recording mode, which lets you capture true widescreen photos and videos. With the ZR100 in hand, all of lifes most precious moments are yours for the taking. Capture Brilliant Photos and Videos with DIGIC DV Take advantage of Canons renowned image quality for both your videos and digital photos, thanks to the DIGIC DV system. DIGIC DV utilizes two different color techniques to maximize video quality for viewing on TVs and still image quality for print or computer display. The ZR100 also features 16bit Digital PCM audio, ensuring that every moment you capture sounds true to life. Canon is known the world over for its vast expertise in designing and crafting precision lenses for 35mm and broadcast TV cameras. That same expertise goes into every ZRseries digital camcorder, giving your videos and photos brilliant color and clarity. Spoil Family and Friends with Widescreen Images Impress even the most diehard movie aficionado with the ZR100s highresolution 169 widescreen recording mode. Typically reserved for more expensive camcorder models, the 169 widescreen feature allows you to record true widescreen videos and photos for playback on home theatre systems. For enhanced accessibility, a Widescreen Button makes it easy to switch from the standard 43 mode to 169 Widescreen Mode. Youll also see exactly what you are shooting thanks to the 2.4 inch LCD screens letterboxstyle display. The 169 widescreen feature is available in both Program Mode and Easy Recording Mode, and can be used in conjunction with the camcorders advanced image stabilization. As Comfortable to Hold as It Is Affordable The ZR100 brings together a streamlined design with easytouse controls, and wraps it all in an attractive high metal finish.

With its seamless, fluid appearance, the ZR100 is smaller in depth and lighter by 2 ounces than previous ZR models thanks to the reduced gap between lens and viewfinder. Enhanced design features include New Program Selector Located beside the LCD display, the Program Selector makes it easy to quickly switch modes. Finger Rest Located on the upper side of the grip, the finger rest improves stability while shooting. Easy Operation Buttons PLAY and STOP buttons are now independent, while the FF and RW buttons are located together, improving usability by preventing

accidental pressing of the wrong button. Oval Grip An ovalshaped grip located on the top of the lens improves shooting comfort while adding a touch of style. Flat Zoom Lever The brand new flat zoom lever not only makes for stressfree zooming, but also helps reduce the physical size of the camcorder. Slim Operation Switch For increased miniaturization, the ZR camcorders feature an innovative Slim Operation Switch. Keep Sight of Your Subject when Outdoors Planning a trip to the tropics or even out to the local park. The ZR100 camcorder features an innovative backlight feature for improved visibility of the LCD display. Simply press the LCD Backlight button to give the display a 250% boost in brightness. Shooting in bright light has never been easier on the eyes. Connect Seamlessly to Your TV, VCR, and Computer Your ZR100 digital camcorder opens up an entire world of move and stillimage making possibilities thanks to its MiniDV format a worldwide industry standard. But what about those older analog videotape memories. You can even convert the analog signal into a digital signal for direct transfer to digital video devices or computers equipped with an IEEE1394 terminal. The Analog to Digital Converter may not function depending on the software used. Its all thanks to Canons exclusive connection circuit, called VIC. VIC is a virtual powerhouse.

Traditionally, multiple chips were needed to perform the camcorders input and output functions. However VIC manages it all with one single chip. The result is seamless connectivity whether you are connecting to a computer, TV, or VCR. Shoot Vibrant Video Even in Low Light Dinner parties, school plays. Specifically designed to capture those important lowlight memories, the ZR100s Night Mode automatically boosts the sensitivity of the CCD and lowers the shutter speed to help brighten the subject. The result is vibrant videos and photos that will last a lifetime. Transfer and Share Your Digital Memories The ZR100 features a DV terminal IEEE 1394 or Firewire for connection to a DVcompatible computer or another DVcamcorder. Transfer your digital movies to your computers hard disk without any loss in quality. Then, edit your scenes to create high impact Web sites, video email, interactive CDs and DVDs, or a personal video album. Let the creativity run wild thanks to true digital connectivity. Enjoy UltraSmooth Videos In addition to the ZR100s superior optics and image processing technology is its highquality image stabilization system. The result of Canons superior electronic expertise, the image stabilizer is able to correct camcorder shake instantly, even when shooting handheld at full telephoto. The result is ultrasmooth videos that keep the focus on your subject. Print Your Digital Photos Without a Computer When youre ready to print your digital images, a single cable is all thats required to connect your ZR100 to a PictBridgecompliant printer. You can then control a variety of printing options from the camcorders menu. Choose from a range of different paper sizes with options for borderless or bordered prints. Exif Print 2.2 The ZR100 supports Exif Print 2.2, a worldwide standard that enhances communication between digital cameras and printers.

At the time of shooting, vital camcorder settings and scene data are recorded with the image, resulting in realistic and reliable color reproduction. Poor lighting or mistakes can also be corrected, allowing photos to be even better than the originals. Shoot Complimentary Closeups For closeups that your family and friends will love, select the innovative Skin Detail Function to automatically soften details. The result is a more complimentary appearance and a more complimentary response from your subject!. Keep It Simple with PreProgrammed Settings Taking greatlooking digital photos has never been easier thanks to the ZR100s extensive variety of preprogrammed auto exposure modes. There is even an Auto Slow Shutter mode to give your videos a dreamlike quality. Each mode is carefully designed to give you the best possible image results under special shooting conditions. The advanced user will also appreciate being able to manually control focus, exposure levels, white balance, and the shutter speed. In addition, the ZR100 features autowind, date search and end search capabilities, and two recording speed modes LP and SP. Use InCamera Effects for Extra RazzleDazzle Let your creative side out to play with the ZR100s wide selection of faders, including Fade Trigger, Wipe, Corner, Jump, Flip, Puzzle, Zigzag, Beam, and Tide. MultiImage Screen Divide your screen into four, nine or sixteen pictures with the Image Capture function. You can also select

the speed the images are captured Manual, Slow, Moderate, or Fast. Give Your ZR100 the Personal Touch Put your mark on your ZR100 with customized startup images and camcorder operation sounds. The My Camera Function also lets you choose between a variety of operating languages, be it English, French, Spanish, German, Italian, Russian, Chinese, or Japanese, in addition to the date format.See full review Lon.

TV Onsite Associates Program To calculate the overall star rating and percentage breakdown by star, we don't use a simple average. Instead, our system considers things like how recent a review is and if the reviewer bought the item on Amazon. It also analyzes reviews to verify trustworthiness. Please try again later. Luis BlancoUribe 5.0 out of 5 stars Thanks for the fast shippingAll the tapes played, including the one that was left in the camcorder by the seller, skipped upon playing. I ended up borrowing a friends camcorder and all of my tapes played just fine. Therefore, I have to conclude this particular camcorder was defective. The warning light is on all the time indicating the overall life of the battery is up. It is fairly old so it is to be expected.But it is unlikely the video or sound quality is much better than this one in some cases actually worse. A 720X480 video frame Mini DV standard resolution can only accomodate approx 340 K pixels therefore a mega or multi mega pixel camcorder will not improve your video performance one bit. And they cost least twice as much. I was looking for something really basic. I go for features and use them in a Camera not a Camcorder. When was the last time you used the fancy video functions. Do you even know where they reside on the menu. This camcorder has all the functions you will use and some that you probably wont. Its sufficiently loaded in that regard. Performance I faced NO noise issues. In a very quiet room, there is faint noise when the auto gain circuit increases the mic sensitivity. However, under all my shooting conditions when the autogain ramps down the mic sensitivity, this has not been a problem. The sound clarity is awesome the mic is quite high quality much better than my old sony 8mm. Video WoW very impressed. Clear and colorful very close to what my eye sees. Very sharp as well. One can easily read text, see the veins on the leaves, the hair on the evebrow on closeups.